



## User Guide

Thank you for purchasing this product.  
For your safety, please read the instruction manual before use.

---



the

in. by  
ification ca  
es:

p

g.

s a


to

lot of fi


◆ **Por defini ion**

Pedal i ch Socke  
LED light o le

Plea e follo the in erface defini ion  
and erminal Color connec ion.



**Opera ion panel de crip ion**



	<b>P:</b> 1 2 3 4
	<b>S:</b> 1 2 <b>AD</b>
	+/-:
	<b>C</b> :
	<b>p</b> :
	<b>P:</b>

	<b>S:</b> 00 ----
	+/-:
	<b>P:</b>
	<b>S:</b> ----
	+/-:
	+/-:
	<b>P:</b>
	<b>S:</b>
	+/-:
	<b>P:</b>
	<b>S:</b> ----
	+/-:
	<b>P:</b>
	<b>S:</b> ----

code and parameter

**Li 1: Error code**

<b>Erro02</b>		1 02 2
<b>Erro04</b>		1: 2: ) 3: 3:
<b>Erro05</b>		1: 2:
<b>Erro06</b>		1: 2:
<b>Erro 08</b>		1:
<b>Erro09</b>	4S	1: ) 2:

**Li 2: Parameter**

1		1~100	30	
2		0/1	1	
6		200~2800	1800	
7		1~99	2	

8		200~5000	3000	
13		200~800	300	
20		0/1	0	
21		0/1	0	
25		0/1	1	
32		0/1/2	2	0 1 2
34		0~5000	300	
35		0~5000	550	
36		0~5000	1250	
37		0~5000	1550	
38		0~5000	1800	
39		0~5000	2800	
40		0~9999	0	
43		0~320	0	
52		145	0~360	
55		0~2880	2740	
56		0~2880	1320	
57		0~359	18	
58		0~359	105	
59		0~359	155	
60		150~500	300	
76		0~2	0	0: 1 2
77		0/1	0	
78		0~999	20	
79		0~999	10	
83		200~5000	4000	1
84		0~100	60	
85		0~999	0	
86		0~999	20	
92	ks	0~40	26	
93	ka	0~4028	4000	
94	kb	0~4028	1000	
95		0~999	150	
96		0/1	1	
97		0~999	200	4s